

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	846	703/2.ccor.	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L2	314	703/13.ccor.	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L3	102	703/19.ccor.	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L4	468	716/2.ccor.	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L5	13	("6347393").URPN.	USPAT	OR	ON	2005/07/28 11:06
L6	2	("5841672"   "6117182").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:06
L7	592	716/6.ccor.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:06
L8	6	((("6434729") or ("6347393") or ("6807659") or ("6868533") or ("6662149") or ("6615395"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/28 11:06
L9	6105	delay with model	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L10	1132	L9 and capacitance	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L11	44573	(interconnect path wir\$3) with delay	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L12	738	L10 and L11	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L13	347	L12 and @ad<="20000922"	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L14	174	L13 and node	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L15	131	elmore adj delay	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L16	44	L13 and L15	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L17	3218	effective adj capacitance	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L18	296	L17 and moment	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L19	16	L18 and admittance	US-PGPUB; USPAT	OR	ON	2005/07/28 11:06
L20	8	("5617325"   "5675502"   "5841672"   "5872717"   "6014510"   "6047117"   "6314546"   "6347393").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:06
L21	9	("5469366"   "5761076"   "5787008"   "5790415"   "6314546"   "6347393"   "6353917"   "6496960"   "6510404").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 11:06

		Results
11.	pub-date > 1939 and pub-date < 2001 and FULL-TEXT(delay model) and FULL-TEXT(elfmore) [All Sources(- All Sciences -)]	12
10.	pub-date > 1939 and pub-date < 2001 and FULL-TEXT(delay model) and FULL-TEXT(effective capacitance) [All Sources(- All Sciences -)]	4
9.	(pub-date > 1939 and pub-date < 2001 and FULL-TEXT((interconnect! delay or path delay or wir! delay)) and FULL-TEXT(moment)) and capacitance [All Sources(- All Sciences -)]	21
8.	pub-date > 1939 and pub-date < 2001 and FULL-TEXT((interconnect! delay or path delay or wir! delay)) and FULL-TEXT(moment) [All Sources(- All Sciences -)]	73
7.	(pub-date > 1939 and pub-date < 2001 and FULL-TEXT((interconnect! delay or path delay or wir! delay)) and FULL-TEXT(delay model)) and capacitance [All Sources(- All Sciences -)]	20
6.	pub-date > 1939 and pub-date < 2001 and FULL-TEXT((interconnect! delay or path delay or wir! delay)) and FULL-TEXT(delay model) [All Sources(- All Sciences -)]	35
5.	pub-date > 1939 and pub-date < 2001 and FULL-TEXT((interconnect! delay or path delay or wir! delay)) and FULL-TEXT(effective capacitance) [All Sources(- All Sciences -)]	2
4.	((((pub-date > 1939 and pub-date < 2001 and FULL-TEXT((interconnect! delay or path delay or wir! delay)) and FULL-TEXT(capacitance)) and model) and node) and effective [All Sources(- All Sciences -)]	29
3.	((((pub-date > 1939 and pub-date < 2001 and FULL-TEXT((interconnect! delay or path delay or wir! delay)) and FULL-TEXT(capacitance)) and model) and node [All Sources(- All Sciences -)]	50
2.	(pub-date > 1939 and pub-date < 2001 and FULL-TEXT((interconnect! delay or path delay or wir! delay)) and FULL-TEXT(capacitance)) and model [All Sources(- All Sciences -)]	95
1.	pub-date > 1939 and pub-date < 2001 and FULL-TEXT((interconnect! delay or path delay or wir! delay)) and FULL-TEXT(capacitance) [All Sources(- All Sciences -)]	150

Find: [Documents](#)[Citations](#)Searching for **effective capacitance and delay model**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

8 documents found. Order: number of citations.

[TACO: Timing Analysis With COupling - Arunachalam, Rajagopal, Pileggi \(2000\) \(Correct\) \(11 citations\)](#)  
 CeFF **Delay Model** We use the coupled-gate **effective capacitance** (CeFF) model presented in [6] as the core on static timing analysis and the coupled **delay model** that we use. We formulate the coupled timing  
[www.sigda.org/Archives/ProceedingArchives/Dac/Dac2000/papers/2000/dac00/htmlfiles/sun\\_sgi/././pdffiles/16\\_3.pdf](http://www.sigda.org/Archives/ProceedingArchives/Dac/Dac2000/papers/2000/dac00/htmlfiles/sun_sgi/././pdffiles/16_3.pdf)

[Noise and Delay Uncertainty Studies for Coupled RC.. - Kahng, Muddu, Vidhani \(1999\) \(Correct\) \(7 citations\)](#)  
 upon the switching conditions. A single **effective capacitance** value for the interconnect is computed ramp input. We also develop a simplified **delay model** for estimating delays on coupled RC lines interconnects. From Table 3 we see that our **P model delays** are close to the SPICE-computed values.  
[vlsicad.cs.ucla.edu/papers/conference/c100.ps](http://vlsicad.cs.ucla.edu/papers/conference/c100.ps)

[Capturing the Effect of Crosstalk on Delay - Sachin Sapatnekar Department \(2000\) \(Correct\) \(2 citations\)](#)  
 2Cc is not a strict upper bound on the **effective capacitance**. In such a case, if a lower bound and be seen later, the only requirement that the **delay model** must satisfy is that an increase [decrease] in  
[www.ee.umn.edu/users/sachin/pubhtml/./PUBS/vlsi00.pdf](http://www.ee.umn.edu/users/sachin/pubhtml/./PUBS/vlsi00.pdf)

[Repeater Insertion in Tree Structured Inductive Interconnect - Ismail, Friedman, Neves \(2001\) \(Correct\) \(1 citation\)](#)  
 delay, moment matching methods, and/or the **effective capacitance** model to evaluate the insertion algorithm which can be used with any **delay model** for the interconnect and transistor devices is  
[www.ee.rochester.edu:8080/~friedman/papers/TCASII.01.pdf](http://www.ee.rochester.edu:8080/~friedman/papers/TCASII.01.pdf)

[Proposal of a Timing Model for CMOS Logic Gates Driving a .. - Hirata, Onodera, Tamaru \(1998\) \(Correct\) \(1 citation\)](#)  
 output waveform during input transition, **effective capacitance** is calculated by solving a non-linear  
 Abstract We present a gate **delay model** of CMOS logic gates driving a CRC load for  
[www.tamaru.kuee.kyoto-u.ac.jp/~hirata/iccad98.ps.gz](http://www.tamaru.kuee.kyoto-u.ac.jp/~hirata/iccad98.ps.gz)

[Gate Load Delay Computation Using Analytical Models - Andrew Kahng \(1996\) \(Correct\) \(1 citation\)](#)  
 A 2 2 A 3 C 2 = A 2 2 A 3 2) 2.3 **Effective Capacitance** Model The cell tables (or k-factor  
 Thevenin equivalent model is a more effective **delay model** when the load is not purely capacitive, since  
[nexus6.cs.ucla.edu/~abk/papers/conference/c62.ps](http://nexus6.cs.ucla.edu/~abk/papers/conference/c62.ps)

[Probabilistic Bottom-up RTL Power Estimation - Ferreira, Trullemans, al. \(Correct\)](#)  
 have typically few parameters, namely an **effective capacitance** for each unit, a scaling factor in terms to compute the total power under the zero **delay model**. However, the ADD size grows up exponentially  
[www.dice.ucl.ac.be/~anmarie/CAD/ISQED\\_00.pdf](http://www.dice.ucl.ac.be/~anmarie/CAD/ISQED_00.pdf)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

Find: 

Searching for **effective capacitance and delay and model and interconnect**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

5 documents found. **Order: number of citations.**

[Challenges and Opportunities for Design Innovations in Nanometer.. - Cong \(1997\)](#) (Correct) (27 citations)

3) and derived the driver/buffer input **capacitance**, **effective** resistance, and intrinsic **delay** in each **capacitance**, **effective** resistance, and intrinsic **delay** in each technology generation (shown in the many challenges on **interconnect** performance, **modeling**, and reliability. It also drives the [cadlab.cs.ucla.edu/~cong/papers/src\\_report97\\_final.ps](http://cadlab.cs.ucla.edu/~cong/papers/src_report97_final.ps)

**One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).**

[Low-Power Architectural Synthesis and the Impact of.. - Mehra, Guerra, Rabaey \(1996\)](#) (Correct) (10 citations)

DD is the supply voltage, and C eff is the **effective capacitance** switched. The C eff is in turn dependent reductions, at the expense, however, of increased **delays**. A common approach to power reduction, therefore, been integrated into the Hyper-LP system. A new **model** for estimation of bus power in partitioned [infopad.eecs.berkeley.edu/~renu/papers/vlsisp96.ps](http://infopad.eecs.berkeley.edu/~renu/papers/vlsisp96.ps)

[New Efficient Algorithms for Computing Effective Capacitance - Andrew Kahng \(1998\)](#) (Correct) (2 citations)

New Efficient Algorithms for Computing **Effective Capacitance** Andrew B. Kahng and Sudhakar Muddu capacitance approach show that our resulting **delay** estimates are quite accurate -within 15% of [nexus6.cs.ucla.edu/~abk/papers/conference/c76.ps](http://nexus6.cs.ucla.edu/~abk/papers/conference/c76.ps)

[Gate Load Delay Computation Using Analytical Models - Andrew Kahng \(1996\)](#) (Correct) (1 citation)

A 2 2 A 3 C 2 =A 2 2 A 3 2) 2.3 **Effective Capacitance Model** The cell tables (or k-factor

Gate Load **Delay** Computation Using Analytical **Models** Andrew B.

[nexus6.cs.ucla.edu/~abk/papers/conference/c62.ps](http://nexus6.cs.ucla.edu/~abk/papers/conference/c62.ps)

[Improved Effective Capacitance Computations for Use in Logic.. - Kahng, Muddu \(1999\)](#) (Correct)

Improved **Effective Capacitance** Computations for Use in Logic and Layout

capacitance approach show that the resulting **delay** estimates are quite accurate -within 15% of

[vlsicad.cs.ucla.edu/papers/conference/c86.ps](http://vlsicad.cs.ucla.edu/papers/conference/c86.ps)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search:  The ACM Digital Library  The Guide

+ "effective capacitance", + "delay model"

SEARCH

THE ACM DIGITAL LIBRARY



Feedback Report a problem Satisfaction survey

Published before October 2000

Terms used effective capacitance delay model

Found 31 of 109,693

Sort results  
byrelevance  Save results to a Binder

**Try an Advanced Search**

Try this search in The ACM Guide

### Display results

condensed form 

## Search Tips












 Open results in a new window

Results 1 - 20 of 31

Result page: **1** 2 next

Relevance scale ☐ ☐ ☒ ☐ ☐

- 1 Buffer insertion with accurate gate and interconnect delay computation  
Charles J. Alpert, Anirudh Devgan, Stephen T. Quay  
June 1999 **Proceedings of the 36th ACM/IEEE conference on Design automation**  
Full text available:  [pdf\(118.92 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
- 2 Calculating worst-case gate delays due to dominant capacitance coupling  
Florentin Dartu, Lawrence T. Pileggi  
June 1997 **Proceedings of the 34th annual conference on Design automation - Volume 00**  
Full text available:  [pdf\(98.15 KB\)](#)  [Publisher Site](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
- 3 Interconnect design for deep submicron ICs  
Jason Cong, Zhigang Pan, Lei He, Cheng-Kok Koh, Kei-Yong Khoo  
November 1997 **Proceedings of the 1997 IEEE/ACM international conference on Computer-aided design**  
Full text available:  [pdf\(157.58 KB\)](#)  [Publisher Site](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
- 4 Simultaneous gate and interconnect sizing for circuit-level delay optimization  
Noel Menezes, Satyamurthy Pullela, Lawrence T. Pileggi  
January 1995 **Proceedings of the 32nd ACM/IEEE conference on Design automation**  
Full text available:  [pdf\(82.95 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
- 5 TACO: timing analysis with coupling  
Ravishankar Arunachalam, Karthik Rajagopal, Lawrence T. Pileggi  
June 2000 **Proceedings of the 37th conference on Design automation**  
Full text available:  [pdf\(76.73 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
- 6 A gate-delay model for high-speed CMOS circuits  
Florentin Dartu, Noel Menezes, Jessica Qian, Lawrence T. Pillage  
June 1994 **Proceedings of the 31st annual conference on Design automation**  
Full text available:  [pdf\(253.28 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
- 7 Noise-aware repeater insertion and wire-sizing for on-chip interconnect using hierarchical moment-matching  
Chung-Ping Chen, Noel Menezes  
June 1999 **Proceedings of the 36th ACM/IEEE conference on Design automation**  
Full text available:  [pdf\(59.31 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
- 8 New efficient algorithms for computing effective capacitance  
Andrew B. Kahng, Sudhakar Muddu  
April 1998 **Proceedings of the 1998 international symposium on Physical design**

Full text available:  pdf(711.21 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

- 9 [Proposal of a timing model for CMOS logic gates driving a CRC &pgr; load](#)  
Akio Hirata, Hidetoshi Onodera, Keikichi Tamaru  
November 1998 **Proceedings of the 1998 IEEE/ACM international conference on Computer-aided design**

Full text available:  pdf(684.15 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- 10 [Timing analysis and optimization of a high-performance CMOS processor chipset](#)  
U. Fassnacht, J. Schietke  
February 1998 **Proceedings of the conference on Design, automation and test in Europe**

Full text available:  pdf(56.10 KB)  Publisher Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)  
 Site

- 11 [Power estimation for a submicron CMOS inverter driving a CRC interconnect load](#)  
Hung-Jung Chen, Bradley S. Carlson  
March 2000 **Proceedings of the 10th Great Lakes symposium on VLSI**

Full text available:  pdf(439.50 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

- 12 [Performance sensitivity analysis using statistical method and its applications to delay](#)  
Jing-Jia Liou, Angela Krstic, Kwang-Ting Cheng, Deb Aditya Mukherjee, Sandip Kundu  
January 2000 **Proceedings of the 2000 conference on Asia South Pacific design automation**

Full text available:  pdf(143.90 KB) Additional Information: [full citation](#), [references](#), [citations](#)

- 13 [A sequential quadratic programming approach to concurrent gate and wire sizing](#)  
Noel Menezes, Ross Baldick, Lawrence T. Pileggi  
December 1995 **Proceedings of the 1995 IEEE/ACM international conference on Computer-aided design**

Full text available:  pdf(88.42 KB)  Publisher Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)  
 Site

- 14 [Critical path analysis using a dynamically bounded delay model](#)  
Soha Hassoun  
June 2000 **Proceedings of the 37th conference on Design automation**

Full text available:  pdf(787.75 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

- 15 [FAR-DS: full-plane AWE routing with driver sizing](#)  
Jiang Hu, Sachin S. Sapatnekar  
June 1999 **Proceedings of the 36th ACM/IEEE conference on Design automation**

Full text available:  pdf(132.68 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- 16 [Static timing analysis taking crosstalk into account](#)  
Mattias Ringe, Thomas Lindenkreuz, Erich Barke  
January 2000 **Proceedings of the conference on Design, automation and test in Europe**

Full text available:  pdf(62.37 KB)  Publisher Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)  
 Publisher Site

- 17 [Coping with RC\(L\) interconnect design headaches](#)  
Lawrence Pileggi  
December 1995 **Proceedings of the 1995 IEEE/ACM international conference on Computer-aided design**

Full text available:  pdf(96.33 KB)  Publisher Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)  
 Site

- 18 [RC interconnect synthesis—a moment fitting approach](#)  
Noel Menezes, Satyamurthy Pulella, Florentin Dartu, Lawrence T. Pillage  
November 1994 **Proceedings of the 1994 IEEE/ACM international conference on Computer-aided design**

Full text available:  pdf(794.71 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

- 19 [An analytic calculation method for delay time of RC-class interconnects](#)

W. K. Kal, S. Y. Kim

January 2000 **Proceedings of the 2000 conference on Asia South Pacific design automation**

Full text available:  pdf(203.76 KB)

Additional Information: [full citation](#), [references](#)

<sup>20</sup> [IC analyses including extracted inductance models](#)

Michael W. Beattie, Lawrence T. Pileggi

June 1999 **Proceedings of the 36th ACM/IEEE conference on Design automation**

Full text available:  pdf(137.28 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 20 of 31

Result page: [1](#) [2](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before October 2000

Terms used **effective capacitance delay model**

Found 31 of 109,693

Sort results  
by
☒ Save results to a Binder

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results

☐ Search Tips

☐ Open results in a new window

Results 21 - 31 of 31

Result page: [previous](#) 1 2Relevance scale ☐ ☐ ☐ ☐ ☐

## 21 [Timing metrics for physical design of deep submicron technologies](#)

Lawrence Pileggi

April 1998

**Proceedings of the 1998 international symposium on Physical design**

Full text available: pdf(727.52 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

## 22 [On switch factor based analysis of coupled RC interconnects](#)

Andrew B. Kahng, Sudhakar Muddu, Eginio Sarto

June 2000

**Proceedings of the 37th conference on Design automation**

Full text available: pdf(101.13 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

## 23 [Transistor sizing in CMOS circuits](#)

M. A. Cirit

October 1987

**Proceedings of the 24th ACM/IEEE conference on Design automation**

Full text available: pdf(380.83 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

## 24 [Table-lookup methods for improved performance-driven routing](#)

John Lillis, Premal Buch

May 1998

**Proceedings of the 35th annual conference on Design automation**

Full text available:

pdf(271.81 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
[Publisher Site](#)

## 25 [Simultaneous buffer insertion and non-Hanan optimization for VLSI interconnect under a higher order AWE model](#)

Jiang Hu, Sachin S. Sapatnekar

April 1999

**Proceedings of the 1999 international symposium on Physical design**

Full text available: pdf(773.78 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

## 26 [Determination of worst-case aggressor alignment for delay calculation](#)

Paul D. Gross, Ravishankar Arunachalam, Karthik Rajagopal, Lawrence T. Pileggi

November 1998

**Proceedings of the 1998 IEEE/ACM international conference on Computer-aided design**

Full text available: pdf(883.15 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

## 27 [Planning for performance](#)

Ralph H. J. M. Otten, Robert K. Brayton

May 1998

**Proceedings of the 35th annual conference on Design automation**

Full text available:

pdf(301.86 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
[Publisher Site](#)

## 28 [A multiple delay simulator for MOS LSI circuits](#)

H. N. Nham, A. K. Bose

June 1980

**Proceedings of the 17th conference on Design automation**



Full text available:  pdf(632.23 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

- <sup>29</sup> [The Elmore delay as bound for RC trees with generalized input signals](#)  
 Rohini Gupta, Byron Krauter, Bogdan Tutuianu, John Willis, Lawrence T. Pileggi  
 January 1995 **Proceedings of the 32nd ACM/IEEE conference on Design automation**

Full text available:  pdf(244.03 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- <sup>30</sup> [Interconnect tuning strategies for high-performance ICs](#)  
 A. B. Kahng, S. Muddu, E. Sarto, R. Sharma  
 February 1998 **Proceedings of the conference on Design, automation and test in Europe**

Full text available:  pdf(115.92 KB)  Publisher Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)  
[Site](#)

- <sup>31</sup> [ClariNet: a noise analysis tool for deep submicron design](#)  
 Rafi Levy, David Blaauw, Gabi Braca, Aurobindo Dasgupta, Amir Grinshpon, Chanlee Oh, Boaz Orshav, Supamas Sirichotiyakul, Vladimir Zolotov  
 June 2000 **Proceedings of the 37th conference on Design automation**

Full text available:  pdf(101.67 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Results 21 - 31 of 31

Result page: [previous](#) [1](#) [2](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.  
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



Welcome United States Patent and Trademark Office

☐ Search Results

## BROWSE

## SEARCH

## IEEE XPLORE GUIDE

## SUPPORT

Results for "(effective capacitance&lt;and&gt;delay model&lt;and&gt;interconnect) &lt;and&gt; (pyr &gt;= 1951 &lt;...)"

e-mail
 printer friendly

Your search matched 29 of 1198558 documents.

A maximum of 100 results are displayed, 50 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search


☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

## Select Article Information

- ☐ 1. **An analytical delay model for SRAM-based FPGA interconnections**  
 Zhou Feng; Huang Zhijun; Tong Jiarong; Tang Pushan;  
 Design Automation Conference, 1999. Proceedings of the ASP-DAC '99. Asia and South Pacific  
 18-21 Jan. 1999 Page(s):101 - 104 vol.1  
 Digital Object Identifier 10.1109/ASPDAC.1999.759723  
[AbstractPlus](#) | Full Text: [PDF](#)(300 KB) IEEE CNF
- ☐ 2. **Interconnect simulation in a fast timing simulator ILLIADS-I**  
 Kutuk, H.; Goknar, I.C.; Kang, S.-M.;  
 Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on [see also  
 Circuits and Systems I: Regular Papers, IEEE Transactions on]  
 Volume 46, Issue 1, Jan. 1999 Page(s):178 - 189  
 Digital Object Identifier 10.1109/81.739264  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(392 KB) IEEE JNL
- ☐ 3. **CMOS inverter current and delay model incorporating interconnect effects**  
 Hafed, M.; Rumin, N.;  
 Circuits and Systems, 1998. ISCAS '98. Proceedings of the 1998 IEEE International Symposium  
 on  
 Volume 6, 31 May-3 June 1998 Page(s):86 - 89 vol.6  
 Digital Object Identifier 10.1109/ISCAS.1998.705218  
[AbstractPlus](#) | Full Text: [PDF](#)(324 KB) IEEE CNF
- ☐ 4. **Theory and algorithm of local-refinement-based optimization with application to device and interconnect sizing**  
 Cong, J.; Lei He;  
 Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on  
 Volume 18, Issue 4, April 1999 Page(s):406 - 420  
 Digital Object Identifier 10.1109/43.752925  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(452 KB) IEEE JNL
- ☐ 5. **Improved effective capacitance computations for use in logic and layout optimization**  
 Kahng, A.B.; Muddu, S.;  
 VLSI Design, 1999. Proceedings. Twelfth International Conference On  
 7-10 Jan. 1999 Page(s):578 - 582  
 Digital Object Identifier 10.1109/ICVD.1999.745217  
[AbstractPlus](#) | Full Text: [PDF](#)(96 KB) IEEE CNF
- ☐ 6. **Table-lookup methods for improved performance-driven routing**  
 Lillis, J.; Buch, P.;  
 Design Automation Conference, 1998. Proceedings

15-19 Jun 1998 Page(s):368 - 373

[AbstractPlus](#) | Full Text: [PDF\(452 KB\)](#) IEEE CNF

- ☐ **7. CMOS gate delay models for general RLC loading**  
Arunachalam, R.; Dartu, F.; Pileggi, L.T.;  
Computer Design: VLSI in Computers and Processors, 1997. ICCD '97. Proceedings., 1997  
IEEE International Conference on  
12-15 Oct. 1997 Page(s):224 - 229  
Digital Object Identifier 10.1109/ICCD.1997.628872  
[AbstractPlus](#) | Full Text: [PDF\(508 KB\)](#) IEEE CNF
- ☐ **8. IEEE standard for integrated circuit (IC) delay and power calculation system**  
IEEE Std 1481-1999  
26 June 1999 Page(s):i - 390  
[AbstractPlus](#) | Full Text: [PDF\(1780 KB\)](#) IEEE STD
- ☐ **9. The Elmore delay as a bound for RC trees with generalized input signals**  
Gupta, R.; Tutuianu, B.; Pileggi, L.T.;  
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on  
Volume 16, Issue 1, Jan. 1997 Page(s):95 - 104  
Digital Object Identifier 10.1109/43.559334  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(396 KB\)](#) IEEE JNL
- ☐ **10. A sequential quadratic programming approach to concurrent gate and wire sizing**  
Menezes, N.; Baldick, R.; Pileggi, L.T.;  
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on  
Volume 16, Issue 8, Aug. 1997 Page(s):867 - 881  
Digital Object Identifier 10.1109/43.644611  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(484 KB\)](#) IEEE JNL
- ☐ **11. Clocking design and analysis for a 600-MHz Alpha microprocessor**  
Bailey, D.W.; Benschneider, B.J.;  
Solid-State Circuits, IEEE Journal of  
Volume 33, Issue 11, Nov. 1998 Page(s):1627 - 1633  
Digital Object Identifier 10.1109/4.726547  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(172 KB\)](#) IEEE JNL
- ☐ **12. High-level power modeling, estimation, and optimization**  
Macii, E.; Pedram, M.; Somenzi, F.;  
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on  
Volume 17, Issue 11, Nov. 1998 Page(s):1061 - 1079  
Digital Object Identifier 10.1109/43.736181  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(300 KB\)](#) IEEE JNL
- ☐ **13. EWA: efficient wiring-sizing algorithm for signal nets and clock nets**  
Kay, R.; Pileggi, L.T.;  
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on  
Volume 17, Issue 1, Jan. 1998 Page(s):40 - 49  
Digital Object Identifier 10.1109/43.673631  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(208 KB\)](#) IEEE JNL
- ☐ **14. Short-circuit energy dissipation modeling for submicrometer CMOS gates**  
Bisdounis, L.; Koufopavlou, O.;  
Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on [see also  
Circuits and Systems I: Regular Papers, IEEE Transactions on]  
Volume 47, Issue 9, Sept. 2000 Page(s):1350 - 1361  
Digital Object Identifier 10.1109/81.883330  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(280 KB\)](#) IEEE JNL
- ☐ **15. A 2-GHz clocked AlGaAs/GaAs HBT byte-slice datapath chip**

Carlough, S.R.; Philhower, R.A.; Maier, C.A.; Steidl, S.A.; Campbell, P.M.; Garg, A.; Kyung-Suc Nah; Ernest, M.W.; Loy, J.R.; Krawczyk, T.W., Jr.; Curran, P.F.; Kraft, R.P.; Greub, H.J.; McDonald, J.F.;  
Solid-State Circuits, IEEE Journal of  
Volume 35, Issue 6, June 2000 Page(s):885 - 894  
Digital Object Identifier 10.1109/4.845192  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(748 KB\)](#) IEEE JNL

16. **Algorithms for non-Hanan-based optimization for VLSI interconnect under a higher-order AWE model**  
Jiang Hu; Sapatnekar, S.S.;  
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on  
Volume 19, Issue 4, April 2000 Page(s):446 - 458  
Digital Object Identifier 10.1109/43.838994  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(360 KB\)](#) IEEE JNL

17. **Transient analysis of a CMOS inverter driving resistive interconnect**  
Tang, K.T.; Friedman, E.G.;  
Circuits and Systems, 2000. Proceedings. ISCAS 2000 Geneva. The 2000 IEEE International Symposium on  
Volume 4, 28-31 May 2000 Page(s):269 - 272 vol.4  
Digital Object Identifier 10.1109/ISCAS.2000.858740  
[AbstractPlus](#) | Full Text: [PDF\(348 KB\)](#) IEEE CNF

18. **Exact output response computation of RC interconnects under polynomial input waveforms**  
Gupta, S.; Patnaik, L.M.;  
VLSI Design, 1999. Proceedings. Twelfth International Conference On  
7-10 Jan. 1999 Page(s):160 - 163  
Digital Object Identifier 10.1109/ICVD.1999.745142  
[AbstractPlus](#) | Full Text: [PDF\(88 KB\)](#) IEEE CNF

19. **Spec-based repeater insertion and wire sizing for on-chip interconnect**  
Menezes, N.; Chung-Ping Chen;  
VLSI Design, 1999. Proceedings. Twelfth International Conference On  
7-10 Jan. 1999 Page(s):476 - 482  
Digital Object Identifier 10.1109/ICVD.1999.745201  
[AbstractPlus](#) | Full Text: [PDF\(84 KB\)](#) IEEE CNF

20. **Proceedings Twelfth International Conference on VLSI Design. (Cat. No.PR00013)**  
VLSI Design, 1999. Proceedings. Twelfth International Conference On  
7-10 Jan. 1999  
Digital Object Identifier 10.1109/ICVD.1999.745112  
[AbstractPlus](#) | Full Text: [PDF\(448 KB\)](#) IEEE CNF







21. **Impact of crosstalk on delay time and a hierarchy of interconnects**  
Yamashita, K.; Odenaka, S.;  
Electron Devices Meeting, 1998. IEDM '98 Technical Digest., International  
6-9 Dec. 1998 Page(s):291 - 294  
Digital Object Identifier 10.1109/IEDM.1998.746357  
[AbstractPlus](#) | Full Text: [PDF\(312 KB\)](#) IEEE CNF

22. **Proposal of a timing model for CMOS logic gates driving a CRC /spl pi/ load**  
Hirata, A.; Onodera, H.; Tamaru, K.;  
Computer-Aided Design, 1998. ICCAD 98. Digest of Technical Papers. 1998 IEEE/ACM International Conference on  
8-12 Nov 1998 Page(s):537 - 544  
[AbstractPlus](#) | Full Text: [PDF\(548 KB\)](#) IEEE CNF

23. **Repeater and interconnect strategies for high-performance physical designs**  
Muddu, S.; Sarto, E.; Hofmann, M.; Bashteen, A.;

Integrated Circuit Design, 1998. Proceedings. XI Brazilian Symposium on  
30 Sept.-3 Oct. 1998 Page(s):226 - 231  
Digital Object Identifier 10.1109/SBCCI.1998.715447

[AbstractPlus](#) | Full Text: [PDF](#)(80 KB) IEEE CNF

-  **24. Determination of worst-case aggressor alignment for delay calculation**  
Gross, P.D.; Arunachalam, R.; Rajagopal, K.; Pileggi, L.T.;  
Computer-Aided Design, 1998. ICCAD 98. Digest of Technical Papers. 1998 IEEE/ACM  
International Conference on  
8-12 Nov 1998 Page(s):212 - 219  
[AbstractPlus](#) | Full Text: [PDF](#)(732 KB) IEEE CNF
  
-  **25. Getting to the bottom of deep submicron**  
Sylvester, D.; Keutzer, K.;  
Computer-Aided Design, 1998. ICCAD 98. Digest of Technical Papers. 1998 IEEE/ACM  
International Conference on  
8-12 Nov 1998 Page(s):203 - 211  
[AbstractPlus](#) | Full Text: [PDF](#)(992 KB) IEEE CNF
  
-  **26. Timing analysis and optimization of a high-performance CMOS processor chipset**  
Fassnacht, U.; Schietke, J.;  
Design, Automation and Test in Europe, 1998., Proceedings  
23-26 Feb. 1998 Page(s):325 - 331  
Digital Object Identifier 10.1109/DATE.1998.655876  
[AbstractPlus](#) | Full Text: [PDF](#)(28 KB) IEEE CNF
  
-  **27. Interconnect tuning strategies for high-performance ICs**  
Kahng, A.B.; Muddu, S.; Sarto, E.; Sharma, R.;  
Design, Automation and Test in Europe, 1998., Proceedings  
23-26 Feb. 1998 Page(s):471 - 478  
Digital Object Identifier 10.1109/DATE.1998.655900  
[AbstractPlus](#) | Full Text: [PDF](#)(92 KB) IEEE CNF
  
-  **28. Planning for performance**  
Otten, R.H.J.M.; Brayton, R.K.;  
Design Automation Conference, 1998. Proceedings  
15-19 Jun 1998 Page(s):122 - 127  
[AbstractPlus](#) | Full Text: [PDF](#)(568 KB) IEEE CNF
  
-  **29. Analytical fast timing simulation of MOS circuits driving RC interconnects**  
Dharchoudhury, A.; Kang, S.M.;  
VLSI Design, 1997. Proceedings., Tenth International Conference on  
4-7 Jan. 1997 Page(s):111 - 116  
Digital Object Identifier 10.1109/ICVD.1997.567971  
[AbstractPlus](#) | Full Text: [PDF](#)(456 KB) IEEE CNF

